


TC78ex-NI Touch Computer

Accessories





Accessories for use in hazardous areas

Accessories are approved for:

- ATEX: Zone 2/22 (EPS 23 ATEX 1 053 X)
- IECEx: Zone 2/22 (IECEx EPS 23.0008X)
- UKEX: Zone 2/22 (EPS 23 UKEX 1 053 X)
- NEC: Class I,II, III Div 2 (E321557)



Standard Battery

Description	- certified in combination with TC78ex-NI
	- Lithium-ion battery 3.85 V/4680 mAh
	May only be changed and charged outside hazardous areas!
Order no.	B7-A2Z0-0088/0001



Scan handle

Description	– certified in combination with TC78ex-NI
	 Simple assembly and disassembly without tools
	– Camera remain usable
	– Charging possible with Scan handle
	Must be applied and removed only outside hazardous areas!
Order no.	B7-A2Z0-0094



Leather holster

Description	 certified in combination with TC78*x-NI Leather holster with cutout for speaker output
	 Vertical orientation with open shell to accommodate TC78^{ex}-NI
	 loop on the back of the holster allows adjustment for use with Scan handle or Hand strap
	- with holder for Stylus
	 Must be removed before charging the device
	Must be applied and removed only outside hazardous areas!
Order no.	B7-A2Z0-0091



Accessories for use in hazardous areas



Hand strap

Description	- certified in combination with TC78ex-NI
	-1 piece
	– with holder for stylus
	- cannot be used with Scan handle
	Must be applied and removed only outside hazardous areas!
Order no.	B7-A2Z0-0092



Screen protector

Description	- certified in combination with TC78ex-NI
	-3 piece
	Must be applied and removed only outside hazardous areas!
Order no.	B7-A2Z0-0093



Stylus

Description	- Suitable for TC78ex-NI
	– passive stylus
	- with spiral cable
	-3 pieces
	Must be applied and removed only outside hazardous areas!
Order no.	17-S1Z0-0008



Accessories for use outside hazardous areas



4-slot battery charging station

Description	- Charging four batteries
	- Charging display via LED
Scope of delivery	– Battery charging station
	- Power supply
	- DC connecting cable
Also required	(not included in the delivery)
	-AC power cable
Order no.	G7-A0Z0-0070



Base station

Description	- Charging the Touch Computer
	– Charging a spare battery
	- Data communication: 1x USB
Scope of delivery	- Base station
	- Power supply
	- DC connecting cable
Also required	(not included in the delivery)
	-AC power cable
	– Micro USB cable for data synchronization
Order no.	G7-A0Z0-0068



Charging station

Description	– Charging the Touch Computer	
	- Charging a spare battery	
Scope of delivery	– Charging station	
	- Power supply	
	- DC connecting cable	
Also required	(not included in the delivery)	
	- AC power cable	
Order no.	G7-A0Z0-0065	





Power supply

Description	- with DC connecting cable
	– Input voltage: AC 100 V to 240 V
	– Output voltage: DC 12 V/4,16 A/50 W
Order no.	G7-A0Z0-0023



AC power cable

Description	-3-wire	
	-country-specific	
Order no.	Version: US + Canada	G7-A0Z0-0024
	Version: EU + APAC	G7-A0Z0-0026
	Please purchase the requ specific cables (with plug in the respective country!	IEC-60320-C13)



Wall Charger

Description	- Input voltage: AC 100 to 240 V		
	– Output voltage: DC 5 V/2.5 A/12.5 W		
Order no.	Version: US	G7-A0Z0-0056	
	Version: EU	G7-A0Z0-0057	
Also required	(Not included with delivery)		
	- USB cable (G7-A0Z0-0046)		





USB cable

Description	 Connection between Touch Computer and base station for data communication USB (A) to micro USB (B) Length: 1 m
Order no.	03-9919-0013



USB cable

Description	 Connection between Touch Computer and PC for data communication
	 Connection between Touch Computer and Wall Charger for charging
	-USB (A) to USB (C)
	- Length: 1.5 m
Order no.	G7-A0Z0-0046